

PRODUCT DATA SHEET

TRUCK AND FARM GREASE

PRODUCT DESCRIPTION

Truck and Farm Grease is a red, semi-synthetic, smooth, tacky grease recommended for use in bearings, chassis parts, gears and couplings in automotive, agricultural, marine and industrial applications.

Truck and Farm Grease is used for bearing lubrication from normal to unusually severe load conditions, for high and low temperature applications, and situations where water spray or ingress is encountered.

CHARACTERISTICS

Truck and Farm Grease is manufactured with lithium complex thickener combined with high quality paraffinic and polybutene base stocks, extreme pressure (EP) additives, rust, oxidation and corrosion Inhibitors, tackiness additives and effective extreme pressure additives to cater for unusually high load service conditions.

Truck and Farm Grease protects against wear on all moving parts from shock loadings to unusually highload service. It helps prevent scuffing and further assists in wear prevention because it has excellent shear stability allowing it to withstand high load extreme pressure situations.

Truck and Farm Grease resists "squeeze-out" from lubricated surfaces under heavy load conditions. It has been specially formulated to include a shear-stable tackiness agent which, unlike other lithium complex greases, has the extra tenacity for "stay-put" lubrication, and the ability to resist water washout or water spray dilution.

Truck and Farm Grease has high shear stability which ensures long service life particularly in sealed anti-friction bearings. The excellent resistance to mechanical shear combined with high film strength maintains grease consistency for extended lubrication service.

Truck and Farm Grease is oxidation inhibited for long service life, and rust and corrosion inhibited to provide effective lubrication under difficult corrosive environments or in rust prone service situations. The inhibitors protect most metal components under these adverse conditions.

SPECIFICATIONS

Specifications: ISO 6743-9: L-XBEHB2 and DIN 51502: KP2P -20.

RECOMMENDATIONS

INDUSTRIAL and GENERAL - Recommended for ball, roller, needle and slow speed plain bearings operating under all service conditions. **Truck and Farm Grease** has an excellent service record under unusually high load and/or shock load service conditions.

AUTOMOTIVE - Recommended for chassis universal joints, and other general lubrication areas in cars, trucks, tractors, trailers etc.

Care should be taken if using **Truck and Farm Grease** in wheel bearings as it may be too heavy for this application. Preferably use **Lithplex Tac EP2** grease for wheel bearings.

Hi-Tec suggests that the equipment manufacturers' recommendations for grade, performance requirements and general operating conditions should be checked prior to use.







TYPICAL PROPERTIES Description Colour/Appearance NLGI Thickener Viscosity (cSt) @ 40°C Worked Penetration (60 strokes) Dropping Point (°C) 4-Ball Weld Load (kg/F) Operating Range (°C)

Method Visual --ASTM D445 ASTM D217 ASTM D2265 ASTM D2596 **Results** Red/Tacky 2 Lithium Complex 1600 265-295 250 315 -20 to 160

Available in: Bulk, 180kg, 55kg, 20kg, 2.5kg and 450g cartridges

"Hi-Tec Oil Traders Pty Ltd (Hi-Tec Oils) has endeavoured to ensure that all information, representations and specifications contained in this product data sheet are accurate at the time of publication. This general information should be used in conjunction with appropriate inquiries by users of the product including consultation with the vehicle or equipment manufacturers published information.

It is the responsibility of users of the product to use the product safely. Users should consult the safety data sheets for each product at <u>www.hi-tecoils.com.au</u>. Hi-Tec Oils takes no responsibility for injury or damage if the product is used in an inappropriate or unsafe manner.

Our product warranty and product quality statement can be viewed at <u>www.hi-tecoils.com.au</u>"

Item code: HI7-1012

Effective: April 2021

MR124032/1





SAFETY DATA SHEET

Page 1 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

Product name:

Truck N Farm Grease

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY:	Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)
ADDRESS:	PO Box 322 Castle Hill NSW 1765 5 Tarlington Place, Smithfield NSW 2164
TELEPHONE NUMBER:	1300 796 009
FAX NUMBER:	(02) 9604 1611
EMERGENCY TELEPHONE NUMBER:	1300 796 009
PRODUCT NAME:	Truck N Farm Grease
OTHER NAMES:	None
MANUFACTURER'S PRODUCT CODE:	HI7-1012
USE:	Lithium complex grease for agricultural automotive, industrial and marine applications.
ADDITIONAL INFORMATION:	Refer to Product Information Sheet for additional information.
OTHER INFORMATION:	Visit our website: <u>www.hi-tecoils.com.au</u> Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION:	NON-HAZARDOUS NON-DANGEROUS GOODS Hazard classification according to GHS Classification. Dangerous goods classification according to Australian Dangerous Goods Code.
SIGNAL WORD (S):	None
IRRITANCY OF PRODUCT:	Not classified as an irritant.
SENSITISATION OF PRODUCT:	Not known to be a sensitiser.
TERATOGENICITY:	No teratogenic effects known.
OTHER INFORMATION:	Used greases may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and

skin contact avoided as far as possible.







SAFETY DATA SHEET

Page 2 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTICS:

Grease

INGREDIENTS:-

CHEMICAL ENTITY	CAS NO	PROPORTION
Distillates (petroleum), hydrotreated heavy napthenic	64742-52-5	70-100%
Calcium Carbonate	1317-65-3	5 - 10%
Dilithium Sebacate	19370-86-6	1 - 2.5%
Phosphorodithioic acid. O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	1 - 2.5%
esters, zinc salts Ingredients determined to be non-hazardous	-	To 100%

4. FIRST AID MEASURES

GENERAL INFORMATION:	You should call the Poisons Information Centre on 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) if you feel that you may have been poisoned, burned or irritated by this product. Have this SDS with you when you call.	
INHALATION:	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues.	
INGESTION:	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues.	
SKIN CONTACT:	No specific recommendations. Rinse with water. Get medical attention if any discomfort continues.	
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.	
FIRST AIDERS:	Use protective equipment appropriate for surrounding materials.	
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		
GENERAL INFORMATION:	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
INHALATION:	No specific symptoms known.	
INGESTION:	No specific symptoms known. May cause discomfort if swallowed.	
SKIN CONTACT:	Prolonged contact may cause dryness of the skin.	
EYE CONTACT:	No specific symptoms known. May be slightly irritating to eyes.	







DATA SH

Page 3 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

4. FIRST AID MEASURES (CONT)

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NOTES TO PHYSICIAN:

SPECIAL TREATMENTS:

Treat symptomatically.

No special treatment required.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
UNSUITABLE EXTINGUISHING MEDIA:	Do not use water jet as an extinguisher, as this will spread the fire.
SPECIFIC HAZARDS:	None known.
HAZARDOUS COMBUSTION PRODUCTS:	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Carbon dioxide (CO ₂). Carbon monoxide (CO). Oxides of sulphur. Oxides of phosphorus. Oxides of nitrogen.
ADVICE FOR FIREFIGHTERS PROTECTIVE ACTIONS:	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.
SPECIAL PROTECTIVE EQUIPMENT:	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	No specific recommendations. For personal protection, see Section 8.
ENVIRONMENTAL PRECAUTIONS:	Avoid discharge into drains or watercourses or onto the ground.
METHODS FOR CONTAINMENT & CLEANING UP:	Reuse or recycle products wherever possible. Collect spillage with a shovel and broom or similar and reuse if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
REFERENCE TO OTHER SECTIONS:	For personal protection, see Section 8. For waste disposal, see Section 13.





SAFETY DATA SHEET

Page 4 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

7. HANDLING AND STORAGE ADVICE ON GENERAL OCCUPATIONAL Read and follow manufacturer's recommendations. Wear protective clothing as HYGIENE: described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed when not in use. HYGIENE MEASURES: Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. STORAGE PRECAUTIONS: Store away from incompatible materials (see Section 10). No specific recommendations. STORAGE CLASS: Unspecified storage. SPECIFIC END USES: The identified uses for this product are detailed in Section 1.2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

Distillates (petroleum), hydrotreated heavy naphthenic: Short-term exposure limit (15-minute): WEL, EH40(2002) 10 mg/m³ mist

Calcium Carbonate

Long-term exposure limit (8 hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8 hour TWA): WEL 4 mg/m³ respirable dust

WEL = Workplace Exposure Limit

DNEL:	Workers – Inhalation; Long term local effects: 5.58 mg/m ³ .
EXPOSURE CONTROLS	
ENGINEERING CONTROLS:	No specific ventilation requirements.
EYE/FACE PROTECTION:	No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
HAND PROTECTION:	No specific hand protection recommended. Large Spillages: Wear protective gloves.
SKIN/BODY PROTECTION:	Wear appropriate clothing to prevent repeated or prolonged skin contact.
HYGIENE MEASURES:	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Distillates (petroleum), hydrotreated heavy napthenic







SAFETY DATA SHEET

Page 5 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

8. EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT)

RESPIRATORY PROTECTION:

No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.

ENVIRONMENTAL EXPOSURE CONTROLS:

S: Not regarded as dangerous for the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Grease APPEARANCE: COLOUR: Red ODOUR: Almost odourless ODOUR THRESHOLD: No information available pH: Not applicable **MELTING POINT:** >260°C ASTM D2265 INITIAL BOILING POINT AND RANGE: No information available FLASH POINT: >200°C Pensky-Martens closed cup. Information given is applicable to the major ingredient **EVAPORATION RATE:** No information available **EVAPORATION FACTOR:** No information available FLAMMABILITY (SOLID, GAS): No information available UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No information available OTHER FLAMMABILITY: No information available VAPOUR PRESSURE: No information available VAPOUR DENSITY: No information available Approximately 0.92 @ 25°C **RELATIVE DENSITY:** BULK DENSITY: No information available SOLUBILITY(IES): Insoluble in water. PARTITION COEFFICIENT: No information available AUTO-IGNITION TEMPERATURE: No information available







SAFETY DATA SHEET

680 cSt @ 40°C. Information given is applicable to the major ingredient

Page 6 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

9. PHYSICAL AND CHEMICAL PROPERTIES (CONT)

DECOMPOSITION TEMPERATURE:

VISCOSITY:

EXPLOSIVE PROPERTIES:

EXPLOSIVE UNDER THE INFLUENCE OF A FLAME:

OXIDISING PROPERTIES:

Not applicable

No information available

Not considered to be explosive

Not considered to be explosive

10. STABILITY AND REACTIVITY

REACTIVITY:	No test data specifically related to reactivity available for this product or its ingredients.
CHEMICAL STABILITY:	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
HAZARDOUS REACTIONS:	Under normal conditions of storage and use, no hazardous will occur.
CONDITIONS TO AVOID:	Avoid excessive heat for prolonged periods of time.
INCOMPATIBLE MATERIALS:	Avoid contact with the following materials: Strong oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS:	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Carbon dioxide (CO ₂). Carbon monoxide (CO).

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL EFFECTS:	Not regarded as a health hazard under current legislation.
ACUTE TOXICITY - ORAL Notes (oral LD ₅₀):	Based on available data the classification criteria are not met.
ATE oral (mg/kg):	27,322.4
ACUTE TOXICITY - DERMAL Notes (dermal LD ₅₀):	Based on available data the classification criteria are not met.
ACUTE TOXICITY - INHALATION Notes (inhalation LC_{50}):	Based on available data the classification criteria are not met.
SKIN CORROSION/IRRITATION Animal data:	Based on available data the classification criteria are not met.



SAFETY DATA SHEET

Page 7 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

11. TOXICOLOGICAL INFORMATION (CONT)

SERIOUS EYE DAMAGE/IRRITATION Serious eye damage/irritation:	Based on available data the classification criteria are not met.	
<u>RESPIRATORY SENSITISATION</u> Respiratory sensitisation:	Based on available data the classification criteria are not met.	
<u>SKIN SENSITISATION</u> Skin sensitisation:	Based on available data the classification criteria are not met.	
<u>GERM CELL MUTAGENICITY</u> Genotoxicity - in vitro:	Based on available data the classification criteria are not met.	
CARCINOGENICITY Carcinogenicity:	Based on available data the classification criteria are not met.	
IARC carcinogenicity:	Contains a substance which may be potentially carcinogenic. IARC Group 2B Possibly carcinogenic to humans.	
<u>REPRODUCTIVE TOXICITY</u> Reproductive toxicity – fertility:	Based on available data the classification criteria are not met.	
Reproductive toxicity – development:	Based on available data the classification criteria are not met.	
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURESTOT - single exposureNot classified as a specific target organ toxicant after a single exposure.		
SPECIFIC TARGET ORGAN TOXICITY - REPE STOT - repeated exposure	ATED EXPOSURE Not classified as a specific target organ toxicant after repeated exposure.	
ASPIRATION HAZARD Aspiration hazard:	Not relevant. Solid.	
GENERAL INFORMATION:	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
INHALATION:	No specific symptoms known.	
INGESTION:	No specific symptoms known. May cause discomfort if swallowed.	
SKIN CONTACT:	Prolonged contact may cause dryness of the skin.	
EYE CONTACT:	No specific symptoms known. May be slightly irritating to eyes.	
ROUTE OF ENTRY:	Ingestion, Inhalation, Skin and/or eye contact	
TARGET ORGANS:	No specific target organs known.	





SAFETY DATA SHEET

Page 8 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

11. TOXICOLOGICAL INFORMATION (CONT)

TOXICOLOGICAL INFORMATION ON INGREDIENTS

Distillates (petroleum), hydrotreated heavy napthenic

ACUTE TOXICITY - ORAL Notes (oral LD₅₀):

<u>ACUTE TOXICITY - DERMAL</u> Notes (dermal LD₅₀):

<u>ACUTE TOXICITY - INHALATION</u> Notes (dermal LC₅₀):

SKIN CORROSION/IRRITATION Skin corrosion/irritation:

<u>SERIOUS EYE DAMAGE/IRRITATION</u> Serious eye damage/irritation:

<u>RESPIRATORY SENSITISATION</u> Respiratory sensitisation:

SKIN SENSITISATION Skin sensitisation:

GERM CELL MUTAGENICITY Genotoxicity - in vitro:

Genotoxicity - in vivo:

CARCINOGENICITY Carcinogenicity:

<u>REPRODUCTIVE TOXICITY</u> Reproductive toxicity – fertility:

Reproductive toxicity – development:

ASPIRATION HAZARD Aspiration hazard: OECD 401 > 5000 mg/kg, Oral, Rat. API 1982 Read-across data.

OECD 402 > 5000 mg/kg, Dermal, Rabbit. API 1982 Read-across data.

OECD 403 > 5.53 mg/l, 4 hours, Dust/Mist, Rat. EMBSI 1988a Read-across data.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Not available.







SAFETY DATA SHEET

Page 9 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

11. TOXICOLOGICAL INFORMATION (CONT)

Calcium Carbonate

ACUTE TOXICITY - ORAL Notes (oral LD ₅₀):	LD ₅₀ >5000 mg/kg, Oral, Rat.	
ATE oral (mg/kg):	5000.0	
ACUTE TOXICITY - DERMAL Notes (dermal LD ₅₀):	LD ₅₀ >5000 mg/kg, Dermal, Rat.	
SKIN CORROSION/IRRITATION Animal data:	Not irritating.	
SERIOUS EYE DAMAGE/IRRITATION Serious eye damage/irritation:	Not irritating.	
<u>RESPIRATORY SENSITISATION</u> Respiratory sensitisation:	No data available.	
Phosphorodithioic acid. O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts		
ACUTE TOXICITY - ORAL Notes (oral LD ₅₀):	OECD 401 3,080 mg/kg, Oral, Rat.	
<u>ACUTE TOXICITY - DERMAL</u> Notes (dermal LD ₅₀):	OECD 402 > 20,000 mg/kg, Dermal, Rabbit.	
SKIN CORROSION/IRRITATION Skin corrosion/irritation:	OECD 404 irritating to skin.	
SERIOUS EYE DAMAGE/IRRITATION Serious eye damage/irritation:	OECD 405 irritating to eyes.	
SKIN SENSITISATION Skin sensitisation:	OECD 406 –Guinea pig: Not sensitising	
GERM CELL MUTAGENICITY Genotoxicity - in vitro:	Gene mutation: TA98. Negative with metabolic activation. Negative with out metabolic activation.	
Genotoxicity - in vivo:	Micronucleus assay, Mouse, OECD 474: Negative.	







SAFETY DATA SHEET

Page 10 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

TOXICITY:

Based on available data the classification criteria are not met.

ECOLOGICAL INFORMATION ON INGREDIENTS:

Distillates (petroleum), hydrotreated heavy napthenic

ACUTE AQUATIC TOXICITY:	
Acute Toxicity – Fish	LC ₅₀ , 96 hours: >100 mg/l
Acute Toxicity – Aquatic Invertebrates	EC ₅₀ , 96 hours: >10,000 mg/l
Acute Toxicity – Aquatic Plants	EC ₅₀ , 72 hours: >100 mg/l

CHRONIC AQUATIC TOXICITY:

Chronic Toxicity – Aquatic Invertebrates NOEC, 21 days: 10 mg/l

Calcium Carbonate

ACUTE AQUATIC TOXICITY:

Acute Toxicity – Fish Acute Toxicity – Aquatic Invertebrates Acute Toxicity – Aquatic Plants LC_{50} , 96 hours: >10000 mg/l, Oncorhynchus mykiss (Rainbow trout) EC_{50} , 48 hours: >1000 mg/l, Daphnia magna EC_{50} , 72 hours: >200 mg/l, Scenedesmus subspicatus

Phosphorodithioic acid. O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts

ACUTE AQUATIC TOXICITY:	
Acute Toxicity – Fish	LC ₅₀ , 96 hours: 4.5 mg/l, Oncorhynchus mykiss (Rainbow trout)
	NOEC, 96 hours: 1.8 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute Toxicity – Aquatic Invertebrates	EC ₅₀ , 48 hours: 5.4 mg/l, Daphnia magna
	NOEC, 48 hours: <1 mg/l, Daphnia magna
Acute Toxicity – Aquatic Plants	LC ₅₀ , 96 hours: 2.1 mg/l, Scenedesmus subspicatus

PERSISTENCE AND DEGRADABILITY:

Persistence and degradability	The degradability of the product is not known.	
Distillates (petroleum), hydrotreated heavy napthenic		
Biodegradation	Inherently biodegradable.	
	Calcium Carbonate	
Persistence and degradability	The product contains only inorganic substances which are not biodegradable.	







DATA SH F

Page 11 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

12. ECOLOGICAL INFORMATION (CONT)

Phosphorodithioic acid. O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	OECD 301F -Degradation 1.5%: 28 days.	
BIOACCUMULATIVE POTENTIAL:	No data available on bioaccumulation.	
PARTITION COEFFICIENT:	No information available	
ECOLOGICAL INFORMATION ON INGREDIE	NTS:	
Distillate	s (petroleum), hydrotreated heavy napthenic	
Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.	
Partition coefficient	log Pow: 2 to 6	
	Calcium Carbonate	
Partition coefficient:	Not applicable	
Phosphorodithioic acid.	O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	
Bioaccumulative potential	No data available.	
MOBILITY IN SOIL:		
Mobility:	No data available.	
ECOLOGICAL INFORMATION ON INGREDIE	NTS:	
Distillate	s (petroleum), hydrotreated heavy napthenic	
Mobility:	Mobile	
Adsorption/desorption coefficient	Estimated value. Highly mobile. -log Kow: 3.0 @ °C	
Phosphorodithioic acid.	O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	
Mobility:	No data available	





SAFETY DATA SHEET

Page 12 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

12. ECOLOGICAL INFORMATION (CONT)

RESULTS OF PBT & vPvB ASSESSMENT

ECOLOGICAL INFORMATION ON INGREDIENTS:

ECOLOGICAL INFORMATION ON INGREDI	<u>EN15.</u>	
Distillates (petroleum), hydrotreated heavy napthenic		
Results of PBT and vPvB assessment:	This substance is not classified as PBT or vPvB according to EU criteria.	
	Calcium Carbonate	
Results of PBT and vPvB assessment:	This product does not contain any substances that are classified as PBT or vPvB.	
Phosphorodithioic acid	. O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	
Results of PBT and vPvB assessment:	This substance is not classified as PBT or vPvB according to EU criteria.	
OTHER ADVERSE EFFECTS:		
Other adverse effects:	None known.	
13. DISPOSAL CONSIDERATION	ONS	
	5115 	
GENERAL INFORMATION:	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.	
DISPOSAL METHODS:	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.	
14. TRANSPORT INFORMATIO	ON	
ROAD & RAIL TRANSPORT:		
ADG REQUIREMENT	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.	
MARITIME TRANSPORT: IMO/IMDG REQUIREMENT	Not classified as a Dangerous Good according to the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.	
AIR TRANSPORT:		

AIR TRANSPORT: ICAO/IATA REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International Maritime Air Transport Association (IATA) Dangerous Goods Regulations for



AUSTRALIAN FAMILY OWNED SINCE 1989

transport by air.





SAFETY DATA SHEET

Page 13 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

POISON SCHEDULE:	Not scheduled.
PACKING & LABELLING:	No special packaging or labelling requirements.
AUSTRALIAN INVENTORY STATUS:	All components are listed or exempted.
16. OTHER INFORMATION	
CONTACT PERSON/POINT:	General Manager 1300 796 009
	This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believed it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorise use of this information or for any modified or altered versions.
	If you are an employer it is your duty to tell your employees, and any others that ma be affected, of any hazards described in this sheet and of any precautions that should be taken.
	Safety Data Sheets are updated frequently. Please ensure you have a current copy.
LITERATURE REFERENCES:	* NOHSC: 2011 National Code of Practice for the preparation of Material Safety Da
	Sheets. * Sofeward: Australia, 2016 Code of Progetice for the Progenetician of Sofety Data She
	* Safework Australia: 2016 Code of Practice for the Preparation of Safety Data Shee for Hazardous Substances.
	* NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
	 * NOHSC: 10005 List of Designated Hazardous Substances. * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of
	Practice.
	* NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of
	Practice. * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the
	Occupational Environment, National Exposure Standards.
	* NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the
	Occupational Environment, Guidance Note.
	* NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
	* NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
	 * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons * ADG: Australian Dangerous Goods Code
	* MSDS of component materials.





SAFETY DATA SHEET

Page 14 of 14 Issue Date: 21 January 2022 Truck N Farm Grease Version: 6

16. OTHER INFORMATION (CONT)

LAST CHANGE:

Supercedes document issued: 1 December 2021 Reason/s for revision: Minor editorial adjustments to comply with GHS requirements.

MR221012/1

END OF SDS



