



Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 1 of 9

Issue Date: 16 December 2021 Barrel Wash

Version: 4

Product name: Barrel Wash

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765

5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Barrel Wash

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: HI8-3045

USE: Cleaning cement from barrels

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au
Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE: HAZARDOUS SUBSTANCE

DANGEROUS GOODS

Hazard classification according to criteria of NOHSC and GHS

Dangerous goods classification according to the Australian Dangerous Goods (ADG)

Code, IATA and IMDG/IMSBC criteria.

POISON SCHEDULE: S5

ADG CLASSIFICATION: Class 8: Corrosive Substances

GHS LABEL ELEMENTS





SIGNAL WORD(S): DANGER









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

ety data sh

Page 2 of 9

Issue Date: 16 December 2021 Barrel Wash

Version: 4

2. HAZARDS IDENTIFICATION (CONT)

GHS HAZARD CLASSIFICATIONS

HAZARD STATEMENTS: H302: Harmful if swallowed.

H314: Causes sever skin burns and eye damage.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H402: Harmful to aquatic life due to extreme pH. .

PREVENTION STATEMENTS: P102: Keep out of reach of children.

> P261: Avoid breathing fumes, mists, vapours or spray. P262: Do not get in eyes, on skin, or on clothing. P264: Wash contacted areas thoroughly after handling. P270: Do not eat, drink or smoke when using this poduct. P271: Use only outdoors or in a well ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE STATEMENTS: P337: If eye irritation persists: seek medical advice.

P363: Wash contaminated clothing before reuse.

P301+P312: IF SWALLOWED: Call the POISON INFORMATION CENTRE on 13 11 26

or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. DoNOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.

Rinse skin with water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P370+P378: Not combustible. Use extinguiahing media suited to burning materials.

P403+P233: Store in a well-ventilated place. Keep container tightly closed. STORAGE STATEMENT(S):

DISPOSAL STATEMENT: P501: If no in-house recycle or reclaim resources are suitable for this product, contact a

specialist waste disposal company (see Section 13 of this SDS).









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

ety data sh

Page 3 of 9

Issue Date: 16 December 2021

Barrel Wash Version: 4

3. IDENTIFICATION / COMPOSITION OF INGREDIENTS

Ingredients	CAS No	Conc, %	TWA (mg/m3)	STEL (mg/m3)
Hydrochloric acid	7647-01-0	approx 6	7.5	peak
Other non hazardous ingredients		<3	not set	not set
Water	7732-18-5	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

4. FIRST AID MEASURES

GENERAL INFORMATION:	You should call the POISONS INFORMATION CENTRE if you feel that you may have
	been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in

Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with

you when you call.

INHALATION: If inhalation of liquid occurs, contact a Poisons Information Centre. Urgent hospital treatment

> is likely to be needed. Remove source of containination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

SKIN CONTACT: Flush contaminated area with lukewarm, gently flowing water for at least 20-30 minutes, by

the clock. DO NOT INTERRUPT FLUSHING. If necessary, keep emergency vehicle waiting

(show paramedics this SDS and take their advice). Under running water, remove contaminated clothing, shoes and leather goods (eg watchbands and belts). If irritation

persists, repeat flushing. Seek medical attention.

EYE CONTACT: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for at least

> 20-30 minutes, by the clock, while holding the eyelid(s) open. Neutral saline solution may be used as soon as it is available. DO NOT INTERRUPT FLUSHING. If necessary, keep emergency vehicle waiting (show paramedics this SDS and take their advice). Take care not to rinse contaminated water into the unaffected eye or onto face. If irritation persists, repeat

flushing. Call a Poisons Information Centre or a doctor urgently.

INGESTION: If swallowed, rinse mouth thoroughly with water and contact a Poisons Information Centre.

Urgent hospital treatment is likely to be needed. Give activated charcoal if instructed.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 4 of 9

Issue Date: 16 December 2021 Barrel Wash

Version: 4

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: There is no risk of an explosion from this product under normal circumstances if it is

involved in a fire. No fire decomposition products are expected from this product at temperatures normally achieved in a fire. ire decomposition products from this product are

not expected to be hazardous or harmful.

EXTINGUISHING MEDIA: Water fog or fine spray is the preferred medium for large fires. Try to contain spills, minimize

spillage entering drains or water courses.

FIRE FIGHTING: If a significant quantity of this product is involved in a fire, call the fire brigade. There is little

danger of a violent reaction or explosiuon if significant quantities of this product are involved in a fire. Recommended personal protective equipment is liquid-tight chemical protective

clothing and breathing apparatus.

FLASH POINT: Does not burn.

UPPER FLAMMABILITY LIMIT: Does not burn.

LOWER FLAMMABILITY LIMIT: Does not burn.

AUTOIGNITION TEMPERATURE: Not applicable - does not burn.

FLAMMABILITY CLASS: Does not burn.

6. ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE:

In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self contained breathing apparatus. See below under PersonalProtection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, nitrile, butyl rubber, neoprene, Teflon. Eye/face protective equipment should include a full face shield. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. It should be fitted with a type B1 cartridge, suitable for acid gases.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the corrosiveness of this product, special personal care should be taken in any cleanup operation. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Contaminated area may be neutralised by washing with weak or dilute alkali. Baking soda, washing soda and limestone are suitable. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 5 of 9

Issue Date: 16 December 2021

Barrel Wash Version: 4

7. HANDLING AND STORAGE

HANDLING: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas.

Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials

listed in Section 10.

STORAGE: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport

and storage of this schedule of poison. Store in a cool, well ventilated area. Check containers periodically for corrosion and leaks. Containers should be kept closed in order to minimise contamination. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. If you keep more than 10,000kg or L of Dangerous Goods of Packaging Group III, you may be required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further

storage instructions on the label.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: **AS/NZS 4501** set 2008, Industrial Eye Protection: **AS 1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS 2210**.

SWA Exposure Limits TWA (mg/m3) STEL (mg/m3)

Hydrochloric acid 7.5 Peak

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

VENTILATION: No special ventilation requirements are normally necessary for this product. However make

sure that the work environment remains clean and that vapours ans mists minimised.

EYE PROTECTION: Your eyes must be completely protected from this product by splash resistant goggles with

face shield. All surrounding skin areas must be covered. Emergency eye wash facilities must

also be available in an area close to where this product is being used.

SKIN PROTECTION: Because of the dangerous nature of this product, make sure that all skin areas are completely

covered by impermeable gloves, overalls, hair covering, apron and face shield. See below for

suitable material types.

PROTECTIVE MATERIAL TYPES: We suggest that protective clothing be made from the following materials: rubber, nitrile,

butyl rubber, neoprene, Teflon.

RESPIRATOR: Usually, no respirator is necessary when using this product. However, if you have any doubts

consult the Australian Standard mentioned above. Eyebaths or eyewash stations are safety

deluge showers should be provided near to where this product is being used.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 6 of 9

Issue Date: 16 December 2021 Barrel Wash

Version: 4

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DESCRIPTION & COLOUR: Clear, colourless liquid.

ODOUR: Pungent odour.

BOILING POINT: Approximately 100°C at 100kPa.

FREEZING/MELTING POINT: Approximately 0°C.

VOLATILES: Water component.

VAPOUR PRESSURE: 2.37 kPa at 20°C (water vapour pressure).

VAPOUR DENSITY: No data.

SPECIFIC GRAVITY: Approx. 1.05 at 20°C

WATER SOLUBILITY: Completely soluble in water.

pH: Corrosive. pH in range 0.0-1.0

VOLATILITY: No data.

ODOUR THRESHOLD: No data.

EVAPORATION RATE: No data.

COEFF OIL/WATER DISTRIBUTION: No data

AUTOIGNITION TEMP: Not applicable - does not burn.

10. STABILITY AND REACTIVITY

REACTIVITY: Most strong acids react with inorganic and organic bases such as amines to form salts. They

also react with many metals liberating hydrogen gas. These reactions are often rapid and sometimes liberate much heat. They can also decompose many organic materials such as

esters, in a reaction called hydrolysis.

CONDITIONS TO AVOID: This product should be kept in a cool place, preferably below 30°C. Under no circumstances

should the container be sealed. Handle and open containers carefully.

INCOMPATIBILITIES: Bases, zinc, tin, aluminium and their alloys.

FIRE DECOMPOSITION: No significant quantities of decomposition products are expected at temperatures normally

achieved in a fire.

POLYMERISATION: This product will not undergo polymerisation reactions.







www.hi-tecoils.com.au



Y DATA SH

Page 7 of 9

Issue Date: 16 December 2021 Barrel Wash

Version: 4

11. TOXICOLOGICAL INFORMATION

TARGET ORGANS: Skin or eyes.

CLASSIFICATION OF HAZARDOUS

INGREDIENTS: Hydrochloric Acid RISK PHRASES: Conc>=5%: T; R23, R35

12. ECOLOGICAL INFORMATION

Salts, acids and bases are typically diluted and neutralised when released to the environment in small quantities. However, until diluted or neutralised it will kill all aquatic organisms it contacts due to extreme pH.

13. DISPOSAL CONSIDERATIONS

DISPOSAL: This product may be recycled if unused, or it has not been contaminated so as to make it

unsuitable for itsintended use. If it has been contaminated, it may be possible to reclaim the product by some means. If neither of these options is suitable in-house, contact a specialist

waste disposal company.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".



1760, CORROSIVE LIQUID, N.O.S. UN NUMBER:

HAZCHEM CODE: 2XSPECIAL PROVISIONS:

LIMITED QUANTITIES: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Class 8, Corrosive Substances. DANGEROUS GOODS CLASS:

PACKING GROUP:

P001, IBC03, LP01 PACKING METHOD:











SAFETY DATA SHEET

Page 8 of 9

Issue Date: 16 December 2021 Barrel Wash

Version: 4

14. TRANSPORT INFORMATION (CONT)

MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.



UN NUMBER: 1760, CORROSIVE LIQUID, N.O.S.

HAZCHEM CODE: 2X

SPECIAL PROVISIONS: 223, 274

LIMITED QUANTITIES: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

DANGEROUS GOODS CLASS: Class 8, Corrosive Substances.

PACKING GROUP: III

PACKING METHOD: P001, IBC03, LP01

AIR TRANSPORT

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.



UN NUMBER: 1760, CORROSIVE LIQUID, N.O.S.

HAZCHEM CODE: 2X SPECIAL PROVISIONS: 223, 274

LIMITED QUANTITIES: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

DANGEROUS GOODS CLASS: Class 8, Corrosive Substances.

PACKING GROUP: III

PACKING METHOD: P001, IBC03, LP01

NOTE: Class 8 Corrosive Substances shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), 6 (Toxic Substances where the Toxic Substances are cyanides and the Corrosives are acids), 7 (Radioactive Substances), Foodstuffs and foodstuff empties. They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.1 (Flammable Gases), 2.2 (Non-Flammable, Non-Toxic Gases), 2.3 (Poisonous Gases), 3 (Flammable liquids), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 6 (Toxic Substances except where the Toxic Substances are cyanides and the Corrosives are acids) and 9 (Miscellaneous Dangerous Goods).









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 9 of 9

Issue Date: 16 December 2021

Barrel Wash Version: 4

15. REGULATORY INFORMATION

POISONS SCHEDULE: S5

AICS: All significant ingredients in this product are compliant with NICNAS regulations.

The following ingredient: Hydrochloric acid, is mentioned in the SUSMP.

16. OTHER INFORMATION

CONTACT PERSON/POINT: General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES:

- * NOHSC: 2011 National Code of Practice for the preparation of Safety Data Sheets.
- * Safe Work Australia: 2016 Preparation of Safety Data Sheets for Hazardous Chemicals
- * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- * NOHSC: 10005 List of Designated Hazardous Substances.
- * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- * NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- * ADG: Australian Dangerous Goods Code
- * SDS of component materials.

Supercedes document issued: 30 May 2017

Reason/s for revision: Minor editorial changes to comply with GHS requirements.

MR122161/1

LAST CHANGE:

END OF SDS



