



Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 1 of 6

Issue Date: 21st July 2021

Bio-Hydraulic 32 V-Type

Version: 4

Product name: Bio-Hydraulic 32 V-Type

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765
5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Bio-Hydraulic 32

OTHER NAMES: Bio-Hydraulic V-Type 32

MANUFACTURER'S PRODUCT CODE: HI5-2909

USE: Vegetable oil based hydraulic fluid

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au
Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION: NON-HAZARDOUS
NON-DANGEROUS GOODS
Hazard classification according to GHS Classification.
Dangerous goods classification according to Australian Dangerous Goods Code.

SIGNAL WORD (S): None

IRRITANCY OF PRODUCT: Not classified as an irritant.

SENSITISATION OF PRODUCT: Not known to be a sensitiser.

TERATOGENICITY: No teratogenic effects known.

OTHER INFORMATION: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and skin contact avoided as far as possible.



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 2 of 6

Issue Date: 21st July 2021

Bio-Hydraulic 32 V-Type

Version: 4

3. IDENTIFICATION / COMPOSITION OF INGREDIENTS

CHEMICAL ENTITY:	CAS No.	PROPORTION
Vegetable Oil and other Non-hazardous Oils	N/A	60 – 100%
Stabilisers, antiwear additives, corrosion and foam inhibitors,	N/A	0 – 10%

4. FIRST AID MEASURES

SWALLOWED:	Rinse mouth with water. Give water to drink. Do not induce vomiting. Seek medical advice if nausea or vomiting occurs.
EYE:	Irrigate with copious quantities of water for 15 minutes. In all cases of eye contamination it is a sensible precaution to seek medical advice.
SKIN:	Wash contaminated skin with plenty of water. Remove contaminated clothing and wash before reuse. If irritation occurs seek medical advice. High-pressure injection through the skin requires URGENT medical attention for possible incision, irrigation and/or debridement.
INHALED:	Move to fresh air. Seek medical advice if nausea or vomiting occurs.
FIRST AID FACILITIES:	Ensure eye bath and safety shower are available and ready for use.
ADVICE TO DOCTOR	Treat symptomatically.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	Foam, Carbon Dioxide, Dry Chemical
HAZARDS FROM COMBUSTION PRODUCTS:	In the event of a fire the following can be released: Carbon monoxide, carbon dioxide.
PRECAUTIONS FOR FIRE FIGHTERS AND SPECIAL PROTECTIVE EQUIPMENT:	Fire fighters should wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion.



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 3 of 6

Issue Date: 21st July 2021

Bio-Hydraulic 32 V-Type

Version: 4

6. ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES:

Slippery when spilt, clean up immediately. Wear protective equipment to prevent skin and eye damage.

METHODS AND MATERIALS

Prevent run off into drains and waterways. Contain spills with absorbent material such as sand or soil.

FOR CONTAINMENT AND CLEAN UP:

Collect and seal in properly labelled containers for disposal. Dispose of in accordance with all Local, State and Federal regulations at an approved waste disposal site. For small spills, wash with plenty of water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Avoid skin and eye contact. Wash hands after using product.

CONDITIONS FOR SAFE STORAGE:

Keep container tightly closed. Combustible liquid.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

NATIONAL EXPOSURE STANDARDS:

None Allocated.

BIOLOGICAL LIMIT VALUES:

None Allocated.

ENGINEERING CONTROLS:

Ensure adequate ventilation to keep exposure levels to a minimum.

PERSONAL PROTECTIVE EQUIPMENT:

Wear safety glasses or goggles, impermeable gloves (PVC or neoprene) and overalls.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Clear yellow to amber oily liquid.

BOILING POINT:

>180°C

POUR POINT:

-15°C

SOLUBILITY IN WATER:

Insoluble

SPECIFIC GRAVITY:

0.92 @ 20°C

FLASHPOINT:

> 150°C

FLAMMABILITY LIMITS:

Not Available



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 4 of 6

Issue Date: 21st July 2021

Bio-Hydraulic 32 V-Type

Version: 4

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable under normal conditions of use.
CONDITIONS TO AVOID:	None known
INCOMPATIBLE MATERIALS:	Strong oxidizing agents
HAZARDOUS DECOMPOSITION PRODUCTS:	None with proper storage and handling.
HAZARDOUS REACTIONS:	No hazardous reactions with proper storage and handling.

11. TOXICOLOGICAL INFORMATION

ACUTE EFFECTS:

SWALLOWED:	Not classified as harmful, however ingestion of large quantities may cause nausea, vomiting or diarrhoea.
EYE CONTACT :	Moderately irritating to the eye.
SKIN :	Not irritating to the skin. Repeated or prolonged exposure with skin may cause drying.
INHALED :	No adverse effects expected from inhalation.

CHRONIC EFFECTS:

No long term adverse effects expected.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:	Not Available.
PERSISTENCE AND DEGRADABILITY:	Product is vegetable oil based and is easily degraded.
MOBILITY:	Product is insoluble in water and will float on the surface.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:	In accordance with local authority regulations, take to special waste incineration plant. If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.
SPECIAL PRECAUTIONS FOR LANDFILL OR INCINERATION:	Avoid contaminating waterways



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 5 of 6

Issue Date: 21st July 2021

Bio-Hydraulic 32 V-Type

Version: 4

14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT:
ADG REQUIREMENT

Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

MARITIME TRANSPORT:
IMO/IMDG REQUIREMENT

Not classified as a Dangerous Good according to the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT:
ICAO/IATA REQUIREMENT

Not classified as a Dangerous Good according to the criteria of the International Maritime Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

CLASSIFICATION:

None Allocated

POISONS SCHEDULE:

None Allocated

This material is listed on the Australian Inventory of Chemical Substances (AICS)

16. OTHER INFORMATION

CONTACT PERSON/POINT:

General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 6 of 6

Issue Date: 21st July 2021

Bio-Hydraulic 32 V-Type

Version: 4

16. OTHER INFORMATION (CONT)

- LITERATURE REFERENCES:
- * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
 - * Safe Work Australia: 2016 Preparation of Safety Data Sheets for Hazardous Chemicals.
 - * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
 - * NOHSC: 10005 List of Designated Hazardous Substances.
 - * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
 - * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
 - * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
 - * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
 - * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
 - * NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
 - * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
 - * ADG: Australian Dangerous Goods Code
 - * MSDS of component materials.

LAST CHANGE: Supercedes document issued: 3rd January 2016.
Reason/s for revision: Minor editorial changes to comply with GHS requirements.

MR127012/1

END OF SDS



AUSTRALIAN FAMILY OWNED SINCE 1989

