



Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

ety data sh

Page 1 of 9

Issue Date: 13 December 2021 Petroleum Jelly

Version: 4

Product name: Petroleum Jelly

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362) COMPANY:

ADDRESS: PO Box 322 Castle Hill NSW 1765

5 Tarlington Place, Smithfield NSW 2164

1300 796 009 TELEPHONE NUMBER:

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Petroleum Jelly

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: HI7-1010

USE: Lubricating jelly for use in industry, cosmetics and food processing.

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au

Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE: NON-HAZARDOUS SUBSTANCE

NON-DANGEROUS GOODS

Hazard classification according to criteria of NOHSC and GHS.

Dangerous Goods classification according to the Australian Dangerous Goods.

SIGNAL WORD (S): None

IRRITANCY OF PRODUCT: Not classified as an irritant.

SENSITISATION OF PRODUCT: Not known to be a sensitiser.

TERATOGENICITY: No teratogenic effects known.

OTHER INFORMATION: Used greases may contain harmful impurities that have accumulated during use. The

> concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and

skin contact avoided as far as possible.











Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 2 of 9

Issue Date: 13 December 2021

Petroleum Jelly

Version: 4

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTICS: Paste

INGREDIENTS:-

CHEMICAL ENTITY CAS NO **PROPORTION** Petrolatum 8009-03-8 0 - 100%White Mineral Oil (petroleum) and/or Paraffin oils 8042-47-5/8012-95-1 0 - 85%Parraffin waxes and hydrocarbon waxes 8002-74-2/63231-60-7 0 - 45% Stabilizer additive 0 - 0.001%128-37-0 Vitamin E Acetate 7695-91-2 0 - 0.001%

4. FIRST AID MEASURES

GENERAL INFORMATION: You should call the POISONS INFORMATION CENTRE if you feel that you may

have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times.

Have this SDS with you when you call.

INGESTION: Not toxic by ingestion. These Products used for a variety of applications with in the

Pharmaceutical, Cosmetic, Food processing and many other industries. It meets the

requirement of the US FDA as per 21 CFR 172.880

EYE CONTACT: No emergency care anticipated. Flush eyes thoroughly with water for several minutes.

Obtain medical attention if discomfort persists.

SKIN CONTACT: If burned by contact with hot material, cool as quickly as possible with water and see a

physician for treatment of burn. No emergency care anticipated with ambient

temperature material.

INHALATION: No emergency care anticipated.

NOTES TO PHYSICIAN: Treat symptomatically based on individual reactions of patient and judgement of

doctor. Indication of any immediate medical attention and special treatment needed: If vomiting occurs, aspiration may cause delayed pulmonary edema and chemical

pneumonia.

MEDICAL CONDITIONS AGGRAVATED

BY EXPOSURE:

No data available.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 3 of 9

Issue Date: 13 December 2021 Petroleum Jelly

Version: 4

5. FIRE FIGHTING MEASURES

GENERAL MEASURES: Do not enter enclosed or a confined work space without proper protective equipment.

Fire fighting personnel should wear respiratory protection (positive pressure if available). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it

can be done without risk.

FLAMMABILITY CONDITIONS: Product is a combustible solid. These products will burn if involved in a fire.

SUITABLE EXTINGUISHING MEDIA: Dry Chemical, carbon dioxide, water, fog and foam. Note: Water, fog and foam may

cause frothing and spattering. DO NOT use water jet as an extinguisher, as this will

spread the fire.

FIRE & EXPLOSION HAZARD: No usual fire or explosion hazard noted.

HAZARDOUS COMBUSTION PRODUCTS: On combustion, form Hydrocarbons gases.

FIRE FIGHTING: Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire

fighting water for treatment.

PERSONAL PROTECTIVE EQUIPMENT: Fire fighters should wear a positive-pressure self-contained breathing apparatus

(SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat,

trousers, boots and gloves).

6. ACCIDENTAL RELEASE MEASURES

GENERAL RESPONSE: Avoid accidents, clean up immediately. Slippery when spilled. Eliminate all sources of

ignition. Increase ventilation. Avoid generating dust. Use clean, non-sparking tools

and equipment.

PERSONAL PRECAUTIONS: Personnel involved in the clean-up should wear full protective clothing as listed in

section 8.

METHODS OF CLEANING UP: Immediately start clean up of the liquid and contaminated soil. Small amounts can be

collected using absorbent material. Product waste should be disposed in accordance

with section 13.

CONTAINMENT: Stop leak if safe to do so. Isolate the danger area.

ENVIRONMENTAL PRECAUTIONS: Do NOT let product reach drains or waterways. If product does enter a waterway,

advise the Environmental Protection Authority or your local Waste Management.

EVACUATION CRITERIA: Evacuate personnel to safe areas.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 4 of 9

Issue Date: 13 December 2021

Petroleum Jelly Version: 4

7. HANDLING AND STORAGE

SAFE HANDLING: Ensure an eye bath and safety shower are available and ready for use.

Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing.

Avoid handling which leads to dust formation.

SAFE STORAGE: Store in a cool, dry, ventilated and covered area away from sources of heat, ignition

and sunlight. Keep container tightly closed when not in use. It is recommended that the drums be stored horizontally, with bungs in 3'O clock and 9'O clock position, such that

bungs are always immersed contamination from air humidity, rain, etc.,

Store away from incompatible materials as listed in section 10.

Store in a covered area away from sources of heat, ignition and sunlight.

This product is not classified dangerous for transport according to The Australian

Code for the Transport of Dangerous Goods By Road and Rail.

CONTAINER: Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

GENERAL: The following exposure standard has been established by The Australian Safety and

Compensation Council (ASCC); Mineral Oil Mist TWA (Mist) ACGIH value is 5.0

mg/m3, STEL (Mist) ACGIH value is 10.0 mg/m3.

EXPOSURE LIMITS: No data available.

BIOLOGICAL LIMITS: No information available on biological limit values for this product.

ENGINEERING CONTROLS: A system of local and/or general exhaust is recommended to keep employee exposures

as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Adequate ventilation should be provided so that exposure

limits are not exceeded.

PERSONAL PROTECTION: RESPIRATOR: If vapor and/or mist is generated by heating, spraying, etc., wear an

organic vapor respirator with a mist filter. No special respiratory protection is

normally required. (AS1715/1716).

EYES: Wear safety glasses or goggles. (AS1336/1337).

HANDS: Use oil resistant gloves that overall to minimize skin contact and

contamination of personal clothing.(AS2161).

CLOTHING: Long-sleeved protective coveralls and safety footwear. (AS3765/2210).

HYGIENE MEASURES: No data available.









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

y data sh

Page 5 of 9 Issue Date: 13 December 2021

Petroleum Jelly

Version: 4

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL: Solid

APPEARANCE: Translucent Soft Mass

COLOUR: Clear white

ODOUR: Odourless

pH: No data available

VAPOUR PRESSURE: <0.1 mm Hg (@ Room Temperature)

RELATIVE VAPOUR DENSITY: >1. Air = 1

BOILING POINT: No data available

38 - 80°C MELTING POINT (°C):

No data available FREEZING POINT (°C):

SOLUBILITY Insoluble 20°C

SPECIFIC GRAVITY: $>0.820 \text{ kg/m}^3$

FLASH POINT: >170°C (Closed cup)

AUTO-IGNITION TEMPERATURE: No data available

EVAPORATION RATE:

No data available

No data available

No data available

BULK DENSITY: No data available

DENSITY: No data available

SPECIFIC HEAT: No data available

MOLECULAR WEIGHT: No data available

NET PROPELLANT WEIGHT: No data available



CORROSION RATE:

DECOMPOSITION TEMPERATURE:







Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 6 of 9

Issue Date: 13 December 2021

Petroleum Jelly Version: 4

9. PHYSICAL AND CHEMICAL PROPERTIES (CONT)

OCTANOL WATER COEFFICIENT: No data available

PARTICLE SIZE: No data available

PARTITION COEFFICIENT: No data available

SATURATED VAPOUR CONC: No data available

VAPOUR TEMPERATURE: 20°C

VISCOSITY: $5-30 \text{ cSt } (@100^{\circ}\text{C})$

VOLATILE PERCENT : No data available

VOC VOLUME: No data available

EXPLOSION LIMITS: No data available.

OTHER INFORMATION: These physical data and other properties do not constitute a specification.

10. STABILITY AND REACTIVITY

GENERAL INFORMATION: Combustible solid. On combustion forms Carbon Mono Oxide (CO), Carbon di Oxide

(Co2), Nitrogen Oxides (NOx), etc.,

CHEMICAL STABILITY: Stable under ambient temperature and normal conditions the product is stable.

CONDITIONS TO AVOID: Avoid direct contact with sunlight or ultraviolet light, heat, flames, sparks, etc.,

INCOMPATIBLE MATERIALS: Normally unreactive, however avoid contact with Strong oxidizing agents. Heat or

high temperature.

HAZARDOUS DECOMPOSITION PRODUCTS: Burning can produce Oxides of carbon. Soot.

HAZARDOUS POLYMERISATION: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

GENERAL INFORMATION: Acute Studies - General: No evidence of harmful effects from current information.

Eye: No irritant effect known. Test results on rabbits with a similar material showed

no irritation.

Skin: None expected. Test results on guinea pigs with a similar material showed no

irritation.

Ingestion: Test results for acute toxicity based upon an analogy with a similar material

are - Rat result > 5,000 mg/kg









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 7 of 9

Issue Date: 13 December 2021

Petroleum Jelly

Version: 4

11. TOXICOLOGICAL INFORMATION (CONT)

GENERAL INFORMATION (cont): Long Term Studies

Carcinogenicity: None expected. Products / Finished material (Blends of Above

substances) meets the IP 346-DMSO test.

(< 3% of PCA), hence the product does not classify as a carcinogen (Note "L" of EU

Directive 76/769-EEC) and is non hazardous. Mutagenicity: None expected. No data available.

Reproductive Toxicity: Contains no ingredient listed as toxic to reproduction

INGESTION: Ingestion is unlikely to have any toxic effects, but the product may act as an intestinal

lubricant and result in diarrhoea and frequent loose stools. If vomiting occurs,

aspiration may cause delayed pulmonary edema and chemical pneumonia. Test results

for acute toxicity based upon an analogy with a similar material are -

Rat result > 5,000 mg/kg.

Contains no ingredient listed as toxic to reproduction.

CARCINOGENICITY: No data available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY Most hydrocarbon components of these substances will have little or no tendency to

partition to air. The half lives for degradation of these hydrocarbons by reaction with hydroxyl radicals, in troposphere, under the influence of sunlight, will all be less than one day, by extrapolation from the data quoted by Atkinson. Accordingly, any hydrocarbon material which does partition to air will be rapidly photodegraded.(Ref.:

Atkinson, R., Gas-Phase tropospheric chemistry of organic compounds: a review,

PERSISTENCE AND DEGRADABILITY: Petroleum Jelly will be inherently biodegradable in water under aerobic conditions,

Atmos. Environ., Vol 24 A, pp. 1-41,1990.

and will be ultimately biodegraded by micro-organisms (although the biodegradability

of Petroleum Jelly will necessarily be limited by its low solubility in water).

BIOACCUMULATIVE POTENTIAL: Does not bioaccumulate.

MOBILITY: The material is stable in water and can be mechanically separated from water. The

water may be suitable for disposal in a biological waste water treatment plant.

ENVIRONMENTAL FATE: Do not allow product to reach water ways, drains or sewers. Degradation occurs

extremely slowly under anaerobic condition.

ENVIRONMENTAL IMPACT: No data available.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

y data sh

Page 8 of 9

Issue Date: 13 December 2021

Petroleum Jelly

Version: 4

13. DISPOSAL CONSIDERATIONS

GENERAL: Dispose of in accordance with all local, state and federal regulations. All empty

packaging should be disposed of in accordance with Local, State, and Federal

Regulations or recycled/reconditioned at an approved facility.

SPECIAL PRECAUTIONS FOR LAND FILL: Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT:

ADG REQUIREMENT Not classified as a Dangerous Good according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

MARITIME TRANSPORT:

Not classified as a Dangerous Good according to the criteria of the International IMO/IMDG REQUIREMENT

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT:

ICAO/IATA REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International

Maritime Air Transport Association (IATA) Dangerous Goods Regulations for

transport by air.

15. REGULATORY INFORMATION

POISON SCHEDULE: Not scheduled.

PACKING & LABELLING: No special packaging or labelling requirements.

AUSTRALIAN INVENTORY STATUS: All components are listed or exempted.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 9 of 9

Issue Date: 13 December 2021 Petroleum Jelly

Version: 4

16. OTHER INFORMATION

CONTACT PERSON/POINT:

General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES:

- * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- * Safework Australia: 2016 Code of Practice for the Preparation of Safety Data Sheets for Hazardous Substances.
- * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- * NOHSC: 10005 List of Designated Hazardous Substances.
- * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- * NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- * ADG: Australian Dangerous Goods Code
- * MSDS of component materials.

LAST CHANGE:

Supercedes document issued: 10 May 2017.

Reason/s for revision: Minor editorial changes to comply with GHS requirements.

MR122131/1

END OF SDS



